OC Smile Architect Dental Lab

Today's Date: _____

Patient First Name: _____

Patient Last Name: _____

Office Phone: _____

Patient Chart Number: _____

Doctor Name: _____

Due Date- 5 PM: _____

Implant Abutment Refer to PDL Implant Guide

☐ Titanium Abutment
☐ Zirconia Abutment
☐ Authentic Abutment (Encode System Additional $170*)

Implant System: _____

Implant Diameter: _____ (mm)

Implant Type:

☐ Cement Retained Restoration

☐ Screw Retained Restoration

*Applicable for most major platforms.

All Porcelain

Single:

Bridge:

☐ BruxZir
☐ SuperZirconia (Multi- Layer Solid zirconia)
☐ Lux Zirconia (Super Aesthetic Multi- Layer Solid Zirconia)
☐ PFZ Layered Zirconia (Anterior, Posterior)
☐ E.Max / Celtra CAD/ CAM
☐ E.Max / Veneer (Cut back)

PFM Porcelain Fused toMetal

Single:

Bridge:

White Alloy

☐ Non-Precious
☐ Noble
☐ High Noble

Yellow Alloy

☐ High Noble

Full Cast

Single:

Bridge:

White Alloy

☐ Non-Precious
☐ Noble

Yellow Alloy

☐ Noble
☐ High Noble

Remake/ Adjust

☐ Poor Fit
☐ Margin
☐ Contour
☐ Occlusion
☐ Contact
☐ Shade

Supply Request

☐ RX Crown & Bridge
☐ Boxes
☐ Airbills

Enclosed:

☐ Crown
☐ Bite
☐ Opposing
☐ Partial
☐ Duralay Post
☐ Implant Lab Analog
☐ Implant Impression Coping
☐ Implant Stock Abutment
☐ Implant Screws

☐ Male
☐ Female

Shade _____

Doctor Signature: _____ License Number: _____

W. OCSmileArchitect.com E. Contact@OCSmileArchitect.com T. 949.861.0658